THEA RENDER

physically-based unbiased & biased render engine

Image by Zoran Gorski

THEA FOR CINEMA4D

www.thearender.com/cinema4d

USER MANUAL

Revision 03

1. INTRODUCTION

Thea for Cinema4D is an integrated version of Thea Render inside Maxon Cinema4D application. With the use of Thea Material Lab, Material Libraries, Interactive Render and Instancing Support you are able to render your scene directly inside Cinema4D. With the Export to Thea Studio functionality you can also stage your scene inside Thea Studio application and benefit of the advanced tools present there. At this manual all the basic installation and getting started steps are explained, along with Thea plugin settings panels and options inside Cinema4D.
For seeing the Getting Started video, find Material Libraries and Download links, please visit Thea for Cinema4D landing page at www.thearender.com/cinema4d

Note: this manual is covering the plugin settings and options only, so for a deeper and more detailed explanation of Thea Render settings, materials, engines etc., you can refer to Thea Render User Manual.

2. APPLICATION PREREQUISITES

While the plugin could be used as a standalone application there are still dependencies of the plugin from the main Thea Render application. These dependencies are typically the need to open Thea default material editor but also to be able to access Thea data folder (materials, rooms, sample data, etc.).
This means that Thea Render should be already installed on your computer (it doesn't matter whether you have installed the 32-bit or 64-bit variant though). On MacOSX platform, make sure that you have also run Thea application at least once (after your drag & drop it typically to your Application folder) in order to complete the installation process. Note that the plugin will work on OSX 10.5 and above (but not on OSX 10.4 (Tiger)).
Cinema4D version should be R12, R13, R14 or R15. The plugin won't run in previous Cinema4D versions. Note that the plugin is incompatible with the developed Thea plugin for R11/R11.5, so it won't be possible to transfer your work between the plugins.

3. INSTALLATION

3.1 Windows

The plugin comes with an installer that helps you define the version of Cinema4D to which you want to install the plugin and also its directory.
The installer guides you through all the necessary steps of installation.


Thea for Cinema4D Setup
Choose Components
Choose which features of Thea for Cinema4D you want to install.
Check the components you want to install and uncheck the components you don't want to install. Click Next to continue.
Select components to install:
Cinema4D R12 Plugin
Cinema4D R13 Plugin
Cinema4D R14 Plugin
Cinema4D R15 Plugin
Thea Library
Basic Resources
Description
Position your mouse over a component to see its description.
Space required: 61.7MB
< Back
Next >
Cancel

Figure 1: Installing Thea for Cinema4D

Copyright © Solid Iris Technologies

3.2 MacOSX

Thea for Cinema4d for MacOSX comes with a dmg file. Inside this dmg file you will find the Thea Render folder. Drag and drop this folder inside plugins folder of Cinema4D installation (or user preferences folder). Then, within this folder, you will find four separated zip folders; one for each Cinema4D version. Select the needed one, according to your version, and simply double click on it to be extracted. Plugin is ready for use just afterwards (rest unused files can be deleted).
It is recommended to install also the corresponding version of Thea Render standalone as well.
The next time that you will start Cinema4D, the plugin should be there, under the Plugins menu (see Figure 2).



Figure 2: Thea Render is available at Cinema4D plugins

3.3 Installing Material Library

Additionally, you can download a material library that allows easier and more direct use of Thea materials (note that this library is platform independent).
For installing the Materials library, you should simply extract the library to Cinema4D content browser user libraries.

Tip 1: if you face problems to locate the correct folder where Cinema4d stores its material libraries (lib4d format) you can find the correct path by going to Cinema4D Edit > Preferences and see that path at the bottom. At this location, inside the “library” folder, you can find the “browser” folder where the Thea Library can be added.
Tip 2: if you have successfully installed Thea Materials library, you should be able to access it in the Cinema4D content browser (see Figure 3). With ight click on one of the appearing materials, you can select the Show in Explorer (for Windows) or Show in Finder (MacOSX) for seeing the installation directory of the library.
You can now drag and drop the selected material on a Cinema4D model or your materials window.


Figure 3: Thea Material Libraries inside Content Browser

Copyright © Solid Iris Technologies

4. LICENSING AND ACTIVATION

To run the plugin in a no demo mode (meaning without resolution limitation and watermarks), you will need to activate your license. This is done by going to Plugins > Thea Render > License (see Figure 4). A new dialogue box opens to help you add your full name, email address and serial number for activating the plugin (see Figure 5).
Do not forget to add also the Thea for Cinema4D plugin serial at the plugins tab (see Figure 6). Afterwards restart your application for the changes to be applied.
For finding more details on licensing, please refer to Thea Render User Manual corresponding chapter.



Figure 4: License Menu



Figure 5: License Input Form window – Main tab



Figure 6: License Input Form window - Plugins tab

5. GETTING STARTED – MAIN WINDOWS

After installing correctly the plugin, you will be able to find its main options at the Plugins list (as we have seen in Figure 2), from where you can open the Darkroom and start an Interactive or a Production rendering. Thea Render can be also found at the Renderers list at the Render Settings window of Cinema4D. You can go to Render > Edit Render Settings (or press CTRL+B) and at the available Renderers list select Thea Render (see Figure 8). From this menu you can define the settings for Output, Save and Multi – Pass (in the same way as for the native renderer) and for Thea Render specifically. At the next paragraphs we will see the available options for both Plugins menu and Render Settings window.



Figure 7: Thea Render appearing at the Plugins list


Figure 8: Render Settings window

Copyright © Solid Iris Technologies

6. THEA PLUGIN MENU OPTIONS



Figure 9: Plugin Menu options

As we see in Figure 9 user can select to open Thea Darkroom for rendering interactively or normally inside Cinema4D, Export the scene for open it later at Thea Studio, Convert Cinema4d materials to the corresponding Thea ones, define the used CPU and GPU devices for Presto engines, check for existing plugin and resources Updates, activate Thea License, edit the main plugin Preferences and see some main information at About window.

6.1 Thea Darkroom



Figure 10: Thea Darkroom inside Cinema4D

The Darkroom command opens a window that resembles Thea Darkroom, as we see it in Figure 10. Thea Darkroom consists of several menus which help you render and post process your rendered image (which appears in the middle of the window - Area C).
At this window, you can render the current scene inside Cinema4D using the defined Thea engine or make an interactive render.

At the next paragraphs all the available buttons and functionality are explained.

6.1.1 File and Window Menus (Area A)



Figure 11: Save options



Figure 12: Send to options

On top left, on area A, we can see the menus File and Window.
File menu: opens the submenus Save, which saves the rendered image in one of the available formats (see Figure 11), and the Send to menu, which opens the rendered image at Thea Studio Darkroom (Image Editor) or opens the Cinema4D scene at Thea Studio Viewport (Scene Editor) or opens the rendered image at Cinema4D Picture Viewer (see the available option in Figure 12).

Copyright © Solid Iris Technologies



Figure 13: Show Windows

Window: from this menu as seen in Figure 13, user is able to show/hide the Render View (Area C), the Interactive Info (devices details at the bottom of Area C), the Progress Toolbar (Area D) and the Display Controls (Area E).

6.1.2 Render Settings and Tools (Area B)

At the right top of the Darkroom window user is able to select among Interactive or Production modes, select the render engine and find some useful tools. According to Interactive or Production mode selection, different options appear on this bar.

6.1.2.1 Interactive Mode



Figure 14: Render Settings and Tools for Interactive Mode

When Interactive Render option is selected user is able to see the rendered image interactively updated inside Darkroom window. The following options are now enabled:

Figure 15: Start IR	With this button you are able to start Interactive Render.
Figure 16: Pause IR	Pause button allows pausing the rendering. Upon clicking it a message box appears to inform you that rendering is paused and prompt you to press OK for continuing it.
Figure 17: Stop IR	Stop button helps you to stop completely the rendering.
 Figure 18: Select IR Engine	This drop down list presents the available render engines that can be used for Interactive Rendering. You can simply click and select the one you prefer. Tip 1: for more details on render engines please refer to Thea Manual. Tip 2: for more settings of each render engine you can go to Render Settings window.

Copyright © Solid Iris Technologies



Figure 19: Select IR Resolution

At the next drop down list you can select among the available resolution presets for your Interactive Rendering.

Custom value uses the resolution that is given at Render Settings window (see Figure 20) at Output, so any resolution values and ratio can be added there and Thea will use them respectively.



Figure 20: Render Settings Custom Resolution

Figure 21: Pick Region

Once Interactive Rendering starts you are able to use the Pick Region tool and select a region (click and drag to create a rectangle) upon the rendered image (Area C) and let this region to be rendered. You can select any additional region you need and see the regions history appearing at a drop down list as seen in Figure 22. By clicking on any region from the list you can see this one being rendered instead. “No region” option let the whole image being rendered while “Remove All” option clears the regions history.
Tip: after stopping the rendering the list of regions selected is still active; you can double click on any region from the list and see the image being refreshed accordingly.

Note: once the Pick Region Tool is enabled the button is highlighted with an orange color.



Figure 22: Selected Region is being rendered and available Regions List can be seen

Copyright © Solid Iris Technologies

 Figure 23: Pick Material	With Pick Material you are able to select any material from the rendered image (simple click on it with the Pick material enabled – icon will be in orange color) and see its properties appear at the Cinema4D attributes panel. You can then make any changes to the material and see them being applied interactively. Note: as already mentioned, once the Pick Region Tool is enabled the button is highlighted with an orange color.
 Figure 24: Pick Focus	Pick Focus tool helps you define the focus point of your scene so that your camera will focus to the desired point (camera needs to have appropriate f-number to achieve nice depth of field effect). At the following example renders with the use of Pick Focus tool we have selected two different focus points by simply click on them. Note: once the Pick Region Tool is enabled the button is highlighted with an orange color.
	 Figure 25: Selected Focus Point at the middle of the scene  Figure 26: Selected Focus Point at the front of the scene
 Figure 27: Navigation Controls	These three navigation controls, which appear on the top right side of the Darkroom, work in the same way as Cinema4D corresponding ones. Once mouse button is released Cinema4D Viewport is automatically updated to the new view.
	 Left Click on this button + Drag pans the scene. Right Click + Drag zooms in and out the scene.
	 Left/Right Click on this button + Drag zooms in and out the scene.
	 Left Click on this button + Drag rotates the scene. Right Click + Drag rolls the scene.

Copyright © Solid Iris Technologies

6.1.2.2 Production Mode



Figure 28: Render Settings and Tools for Production Mode

When Production Mode option is selected user is able to make a production (final rendering) that is not being refreshed upon scene staging. The following options appear at this bar:

Figure 29: Start Render	With this button you are able to start Production Render.
Figure 30: Pause Render	Pause button allows pausing the rendering. Upon clicking it a pause icon is appearing on the rendered image showing that the rendering is being paused. By pressing it again you can continue rendering it.  Figure 31: Paused Render
Figure 32: Stop Stop	Stop button helps you to stop completely the rendering.

Figure 33: Select Render Engine	This drop down list presents the available render engines that can be used for Production Rendering. You can simply click and select the one you prefer before start rendering. By selecting a Progressive engine two additional options appear that help you define Termination Criteria: Time Limit and Samples per Pixel Limit (see Figure 34). By clicking upon these icons you can enter the desired time and/or Samples per Pixel values (see Figure 35). The first criterion that will be met will prompt rendering to stop. Tip: 30s stands for 30 seconds, 30m for 30 minutes, 1h for 1 hour etc.
	Figure 34: Time and Samples/Pixel Limits
	Figure 35: Define Time and Samples/Pixel limits

Copyright © Solid Iris Technologies



Figure 36: Presets Option

By selecting the Preset option a new menu appears showing the available render presets at a drop down list (see them in Figure 37Figure 39).
The name of each presets indicated the engine that will be used. For Adaptive BSD engine several presets exist for exterior and interior scenes, with a variation to final quality (from preview to fine).



Figure 37: Available Presets List



Figure 38: Select Render Resolution

At the next drop down list you can select among the available resolution presets for your Production Render.

Custom value uses the resolution that is given at Render Settings window (see Figure 39) at Output, so any resolution values and ratio can be added there and Thea will use them respectively.



Figure 39: Render Settings Custom Resolution

6.1.3 Rendered Image and Interactive Info (Area C)

As we have already mentioned this area not only hosts the rendered image for both Interactive and Production rendering but is also active during Interactive Rendering, as user can perform the following actions:

- Alt + Left Click + Drag is used for rotating the scene.
- Alt + Right Click + Drag is used as Dolly (zooming in out the selected point).
- Alt + Mouse wheel scrolling zooms in and out the scene.
- Alt + Middle click +Drag is used for panning.
- As mentioned already with the Pick tools user can select regions (by clicking and dragging for defining the region) and select materials and focus points (by clicking once on the rendered image desired material/focus point).

In all the above cases the rendered image is being interactively updated. After mouse release, Cinema4D viewport is automatically updated to current view.

Copyright © Solid Iris Technologies

For Interactive Rendering option, if a Presto engine is selected an additional table appears below the rendered image presenting information of the devices used for rendering, their frames per second, samples per pixel, memory used and total memory.
For hiding this window you can go at Window menu of the Darkroom and unselect the Show Interactive Info option.
Tip: you can define the devices used by Presto engines, by going to Plugins menu > Thea Render > Devices (see details at paragraph 6.4).



Figure 40: Presto Engines Info during Interactive Rendering

6.1.4 Render Status Bar (Area D)

At area D of the Darkroom, we can see the Render Status Bar.



Figure 41: Render Status Bar

This bar shows the main information on rendering process and helps us start/pause/stop it, save the rendered image or send it to Cinema4D Picture Viewer.
In more detail:

Figure 42: Send to Picture Viewer	Send to Picture Viewr button sends the rendered image directly to Cinema4D picture viewer window.
Figure 43: Save Image	The Save button is used for saving the image with the given format – you need to include the desired extension along with the name (it can also be *.img.thea for saving the whole buffer or *.clm for Colimo project files).
 Figure 44: Elapsed Time	At this area user can get information on the time elapsed since Production rendering started.
Figure 45: Refresh Image	Refresh button is used for refreshing the image once a change at the Exposure, Filtering or Channels selection has been made.

Copyright © Solid Iris Technologies

 Figure 46: Phase info	Phase info box shows the main information regarding rendering progress. For Interactive Rendering, the Rendering message appears while for Production Rendering the phase of the process (for example Building Environment, number of passes/samples etc.).
 Figure 47: Start IR Figure 48: Start PR	Start button starts either the Interactive Rendering (IR), which allows seeing any movement, material change or light addition interactively (button is as seen in Figure 47), or in case of Production Rendering (PR), starts the rendering process (button is as seen in Figure 48).
 Figure 49: Pause Figure 50: Stop	Pause and Stop buttons are used for pausing the rendering or stopping it and have the same functionality as those at the top right bar.
 Figure 51: Progress info	For Production Rendering the Progress bar shows visually the progress of each rendering phase (for example for each render pass).

6.1.5 Display Options (Area E)

Below, at area E, all the available Display option such as Exposure, Filtering, Channels and Photometric Analysis options appear. They work in the same way as inside Thea Studio Darkroom, so for additional details please refer to Thea User Manual corresponding chapter.



Figure 52: Darkroom Display options

Copyright © Solid Iris Technologies

6.2 Export to Thea



Figure 53: Plugin Menu Options

The Export (see Figure 53) command prompts for saving a Thea scene that you can open afterwards within Thea Studio. By selecting the Export option you are able to export your scene in scn.thea, pack.thea or xml format. A window opens that allows you to specify the scene name and location (see Figure 54).

Note 1: export the scene is not possible while rendering.

Note 2: at Preferences window (as will be described later) you can select the default extension for saving your scene and also enable/disable opening directly your scene after exporting to Thea Darkroom or Viewport.



Figure 54: Save Thea Scene window

6.3 Convert Materials

With this option you are able to convert the Cinema4D materials to the corresponding Thea Materials.

After pressing the Convert Materials button, a dialogue box appears (see it in Figure 55) that allows you to define if you want to convert the selected or all the materials of your scene or simply cancel the procedure. After converting a material to a Thea one, from now on the Thea materials attributes will appear for editing the material.

Note: Cinema4D materials are automatically read as Thea materials when rendering starts (even if you have not converted them) without affecting your materials settings and type.


Convert Materials?
Cinema4D native materials will be converted to Thea Render native ones.
Would you like to convert all materials or selected only?
Convert All
Convert Selected Only
Cancel

Figure 55: Convert Materials dialogue box



Figure 56: Cinema4D materials and the converted Thea ones

Copyright © Solid Iris Technologies

6.4 Devices

The Devices option, allows you to open the Select Devices window (see Figure 57). Here you can see a list with the GPU and CPU devices of your machine, which can be used by Presto engine. At this window, you can enable/disable a device, by clicking to the corresponding box, and increase/decrease its priority. At this window apart from the names of the existing devices, you can also see their cores, their memory and other useful information.



Figure 57: Select Devices window

6.5 Update

The Update button opens the Install Updates window (as seen in Figure 58).
At this window user can see the available plugin versions and resources and select which ones wants to install.
For more details and options explanations of the Updates window, please refer to Thea User Manual.



Figure 58: Thea Updates window

6.6 License

The License option, as we have already described, allows an easy activation of your license from within Cinema4D. The first time you want to activate the license, you need to add here your full name, email address, your serial number and at the Plugins tab the Cinema4D serial number as well, and then ask for an activation code. The system will send you back the activation code and after restarting your application, Thea will be registered.
For more details on activation procedure please refer to Thea User Manual.



Figure 59: License Input Form window

Copyright © Solid Iris Technologies

6.7 Preferences

The Thea Preferences window allows you to specify the Default Extension for saving a Thea scene (scn.thea, pack.thea or xml) and also enable/disable the automatic opening of the scene either at Thea Studio (Viewport) or Darkroom.



Figure 60: Preferences window

6.8 About

The last option found at this menu is the About. This submenu opens a window that gives you some main information for the plugin, such as its current version.


About Thea Render
Thea Render for Cinema4D (1.3.06.095)
Presto2 Edition (v1.3.06 Build 1115 Windows 64bit)
Copyright (C) 2008-2013, Solid Iris Technologies
OK

Figure 61: About Thea Render window

7. THEA RENDER SETTINGS WINDOW



Figure 62: Thea Render Settings window

As we have said, by going to Render > Edit Render Settings we can select Thea Render among the existing renderers. At the right side of the window the available settings panels appear (see Figure 62): Production Mode, Interactive Mode and Baking. The settings inside Render Settings window and inside Darkroom window are linked, and a change to one option is changing the corresponding option to the other window too.

Tip: with the button “Render Setting…” at the bottom, by selecting the New option, you can create and save the needed render presets, for faster selection at the Render menu.

At the next tables we see the options that exist at each panel and their main functionality. Please refer to Thea manual for the parameterization and more detailed explanation of the existing settings.

Copyright © Solid Iris Technologies

7.1 Production Mode

At the Production Mode tab (see Figure 63), you can make all the needed settings for the Production Rendering. You can select among the existing render engines, the one that will be used once you start rendering or select among the available presets (which actually override all the other settings when rendering start, if they are selected).
For the case of Adaptive BSD engine two extra tabs open that help you edit Ray Tracing and Global Illumination Settings.
Several other options exist to enable/disable at this tab, like relight, displacement and repaint. At Termination menu, criteria limits for the progressive engines can be set.
Before rendering you can also set the Distribution details and select the channels that will be rendered too.

Tip: by pressing the on the Advanced option triangle button, a new menu appears with more advanced settings. In this way you can show/hide the needed/unneeded panels.



Figure 63: Production Mode tab

7.2 Thea Channels – Multi Pass Option

As we mentioned, at this tab you are also able to select the channels you want to be rendered along with the color channel. For cases of a single frame rendering, you will be able to see the rendered channels inside Darkroom, at the Channels list.



Figure 64: Channels inside Thea Darkroom window

Copyright © Solid Iris Technologies

As we will also mention later, for rendering animations one needs to use Cinema4D Picture Viewer (with Thea Render engine enabled). For cases we need to render multiple channels during an animation, we need to enable apart from the render channels in Thea Production tab, the Multi-Pass option (see Figure 65).
At the Save menu, the Multi-Pass image options will appear to let you define the path of saved channels and their format.
In this way Thea can be used for rendering animations along with their rendered channels.



Figure 65: Multi-Pass enabled

7.3 Interactive Mode



Figure 66: Interactive Mode tab

At the Interactive Render panel, you can make all the needed adjustments for the interactive render engine. As we saw, you can easily select the IR engine at the Darkroom window, but here you can edit also its settings, such as the Tracing Depth, enable/disable Caustics and Ambient Occlusion.

Copyright © Solid Iris Technologies

7.4 Baking



Figure 67: Baking tab



Figure 68: Baking Modes



Figure 69: Thea Bake tag

At the Baking panel, user can select to enable, disable or disable by default texture baking for the selected scene.

By enabling Baking, all textures will be baked, according to Normal and High resolution given below, except if specified differently by a Thea tag for baking (as we will describe later, at the Thea Tags section). Normal resolution affects all kind of channels textures while High resolution those used for bumping and background. Note that according to these resolution settings (if values are quite big, a delay before rendering starts may occur).
By selecting to disable baking, no textures will be baked at all.
The next option, Disable by Default, will disable baking, except if one adds a special baking tag to a certain object, where baking is enabled (see Figure 69). In this way, texture baking will be generally disabled, but enabled for the tagged objects only.

7.5 Biased Engine Settings RT & GI (Adaptive BSD)

As we said if the selected engine for Production Rendering is the Adaptive BSD engine, two new tabs appear at Render Settings window: Biased RT (Ray Tracing) and Biased GI (Global Illumination) show all the needed settings for the Adaptive BSD engine so that all the necessary adjustments can be made.
At the Biased Ray Tracing panel, you can specify the Antialiasing options, enable Clay Render and adjust any settings related to Blurred Reflections, Ambient Occlusion and Termination Criteria.
At the Biased Global Illumination panel, you can enable Field Mapping technique, Caustics, Final Gathering and adjust the needed Irradiance Cache settings.
For more detailed explanation of these settings please refer to Thea User Manual and Adaptive (BSD) engine pdf tutorial.

Copyright © Solid Iris Technologies



Figure 70: Biased RT Panel

Figure 71: Biased GI Panel

8. CINEMA4D MATERIALS (NATIVE)

Cinema4D materials are automatically converted to Thea materials when rendering begins (without affecting your materials inside Cinema4D. There are special heuristics that are used in the conversion process; nevertheless, the result may look quite different from how the material looks using Cineam4D internal renderer.

With the Convert Materials (as we saw previously) you are able to convert the Cinema4D materials to the corresponding Thea ones for allowing editing with the Thea Materials settings.

Other materials (from other plugins) are not supported. In this case, Thea will render them black. Cinema4D (procedural) shaders are supported only through texture baking. Texture baking can be controlled using Thea Render settings and Thea Bake tag (as we will analyze later on).

9. THEA MATERIALS

Thea for Cinema4D can make full use of Thea Material Lab but also allows editing of materials from within Cinema4D. With the use of the Material Library you can also simply drag and drop a Thea material at your model. At the next paragraphs, we will see the available ways to create, edit and use a Thea Material inside Cinema4D.

Copyright © Solid Iris Technologies

9.1 Editing a Thea Material within Cinema4D

The first step is to create a Thea Material. For this you have to follow one of the following ways:
Version R12: Top Menu > File > Thea Material (or from the Materials window)
Version R13: Top Menu > File > Shader > Thea Material (or from the Materials window)
Version R14 and R15: Top Menu > Create > Material > Thea Material or at the Materials window Create > Shader > Thea Material (see Figure 72).
The material created in these ways, will be initially a white basic material and will be added at the Materials window (see Figure 73).



Figure 72: Create a Thea Material



Figure 73: Thea Material (initially)

Another way to create a Thea material is the conversion of the Cinema4D material to the corresponding Thea material, with the use of the Convert Materials button.

After creating the material, it is possible to edit it inside Cinema4D, by clicking once on the material. The custom material editor for Thea materials inside Cinema4D is a simplification of the standard Thea material lab (see it at the material Attributes panel). Here you can edit a material that has at most two or three components of the same type: at most 3 coatings, 3 glossy, 3 basic substrates, or 2 thin films, 2 SSS substrates. Initially, the empty material comes with the General and Matte options (see Figure 74).
Below we see what options exist at each tab.

Tip: By enabling a component, the corresponding tab also appears where the component available settings exist.

Note: for more details on Thea materials and their settings, please refer to Thea User Manual, at the Material Lab chapter.



Figure 74: Thea Material Settings (Attributes panel)

At the Basic tab you are able to add/remove components to the material (as we said the maximum is 3 or 2 components of each type). At our example, as seen in Figure 75, we have enabled the Matte and Thin Film components.
We see that the Thin Film tab also appears on top tabs list.



Figure 75: Basic information

Copyright © Solid Iris Technologies

At the General panel you can edit some basic material settings (such as Repaintable, Tracing Depth etc.) and you can also alter the material room used for the material preview and its quality (passes).



Figure 76: General Panel

Tip: with Shift + Click on the wanted tabs, we can enable and see more than one panel at the same time, one below the other. As we see in Figure 77, we can have all the needed settings for the Matte and Thin Film components available. Their Scattering, Structure, Layer, etc. panels with their corresponding settings each, are all visible.

Note: Matte, Thin Film, SSS (Subsurface Scattering), Glossy and Coating are the five basic Thea Materials components. Each comes with different set of special settings, which are presented at the corresponding panels.



Figure 77: Matte and Thin Film panels

At the Description panel we can see and add a description for the Thea material and at the Assign tab we can see on which model(s) the material is applied.

Figure 78: Description and Assign panels

Copyright © Solid Iris Technologies

9.2 Editing a Thea Material with the Material Lab



Figure 79: Thea Material Lab

Editing the material using Thea standard material lab is also possible by double clicking on the material icon (inside Materials window). This will employ Thea Material Lab as an external application and Cinema4D will freeze until you exit the application. The material will then refresh with the changes that you have made in the material lab.

Accept or close button apply any changes made inside Thea Material lab while Reject button ignores the changes.

9.3 Adding a Thea Material from the Content Browser

As we have already mentioned, additionally to the plugin, you can download a material library with ready-to-use materials (please visit www.thearender.com/cinema4d for more details).

After installing the library at the browser folder of Cinema4D, you can find the library inside the content browser (see Figure 80) or load the material from the materials window (Create > Load Material Preset > Thea Materials – see Figure 81).

Tip 1: as we have already mentioned, if you face problems to locate the correct folder where Cinema4d stores its material libraries (lib4d format) you can find the correct path by going to Edit > Preferences and see that path at the bottom. At this location, inside the “library” folder, you can find the “browser” folder where the Thea Library needs to be added.



Figure 80: drag and drop a material from the content browser to your model



Figure 81: Thea Libraries can be accessed too from the Materials window

Copyright © Solid Iris Technologies

10. LIGHTS

Cinema4D point lights are automatically supported by converting them to the corresponding Thea point light. The area lights are also being supported and are always emitting light following inverse square law (note: at the moment, only the following types are supported: Area, Disc, Rectangle, Sphere, Cylinder, Cylinder and Perpendicular). If you want to use a Thea custom area emitter though, you should create it as a Thea material and assign this like a normal material to a model.



Figure 82: dragging a light with a Thea Sun tag changes Thea sun position

Besides the point lights, Sky is also being supported enabling automatically Thea physical sky (by adding the Thea Sky tag on a Cinema4D sky). There is also the custom Thea Sun tag that we will see analytically later, which you can assign to any point light; in this way you can adjust Thea sun-sky easily by dragging this common point light around the scene. With the use of Thea light tag, which you can add to any Cinema4D light, you can override its settings and make it behave like a Thea point light (see more details to Thea Tags section).

11. ANIMATION

Thea Render can support animation from Cinema4D by rendering the desired key frames of the animation bar. After setting up your animation you can go and select as render engine Thea Render (at Render Settings), then at Output panel define the needed frames that will be rendered (see Figure 84). At the Save panel, specify also the Output folder, where the rendered image sequence will be saved (see Figure 85). If channels need to be rendered, enable the Multi-Pass option and define path for saving too

Important Note: currently, for animations, you need to start your rendering from the Picture Viewer of Cinema4D, as Thea Darkroom will only render the current frame.



Figure 83: setting up the animation



Figure 84: select the desired frames



Figure 85: define the output folders

Copyright © Solid Iris Technologies

12. TEAM RENDER SUPPORT

Thea Render can be also used by the Team Render of Cinema4D which allows using other machines for network rendering. You only need to setup Team Render as always (enable it, run clients and add machines). Select Thea Render as render engine and start rendering with Team Render at the Team Viewer. The rendering of the frames will be split among the server and the clients. Thea client or Studio should be enabled to the client machines as well. Note that co-operative rendering on the same frame using Team Render is not yet supported; currently, you can only use Thea Render network rendering for co-operative rendering on still images and not Team Render.

Important Note: for allowing Team Render to set up the network rendering and not Thea server itself, at the Network settings of Thea (see Distribution at General panel) Network should be set to None to avoid any network conflicts.



Figure 86: Frames rendering is split to server and client



Figure 87: Thea Server is disabled when Team Render needs to be used

13. THEA RENDER TAGS

Thea Render gives you the possibility to add some additional tags to the Cinema4D objects. These are the following: Thea Bake, Thea Camera, Thea Light, Thea Sky and Thea Sun. At the following tables we analyze each of these tags.

As seen in Figure 89 each tag can be applied to a Cinema4D object and give it specific Thea features.

Tip: Cinema4D Composition tag is also partially supported. The options Cast Shadows, Receive Shadows (only for Adaptive BSD engine) and Seen by Camera options are supported by Thea.

Note: for more detailed explanation of Thea Cameras and Lights settings, please refer to Thea manual.



Figure 88: Thea Render Tags



Figure 89: Thea Tags; Sun, Camera, Light and Bake

Copyright © Solid Iris Technologies

13.1 Thea Bake Tag

As we have already mentioned at the Preferences Settings window, texture baking can be either enabled to the scene by default, be disabled or be disabled by default. With this tab, the enable and disable by default options can be overridden to the selected materials.
For the certain material, there is the option to enable baking, disable it or leave the default option (which follows the hierarchy selection of the option or general settings).
Below, there is the option to select different resolutions and override the default ones by checking the corresponding box.



Figure 90: Thea Bake tag

13.2 Thea Camera Tag

The next tag that we can use is the Camera tag. This tag can be added at a Cinema4D camera and allow usage of Thea Camera settings for it (if the option Override C4D Physical Camera is enabled).

By enabling the Override Thea Display option, some different settings than the general ones can be set for this selected camera. This means that once this camera is used, at Darkroom, Display options will be changed. Animation of these settings is also available; this allows easy camera display settings change and adaption, during an animation, where lighting conditions may change.



Figure 91: Thea Camera tag

13.3 Thea Light Tag


Figure 92: Thea Light Tag

Thea Light tag can be added at a Cinema4D light and make it behave light a Thea point light (if the Override C4D Point Light option is enabled).
At the Type drop down list we can select to change the Thea Light type among Omni, Spot, IES and Projector. This allows easy change of the lights type without the need to re insert it.

For each selection the corresponding options appear which allow you to control each light settings (see Figure 93).



Figure 93: Thea Lights per Type

Copyright © Solid Iris Technologies

13.4 Thea Sky Tag – Setting Up Environment (Sky and IBL)

Thea Sky tag can be added to Cinema4D Physical Sky. As seen in Figure 94, Thea Sky tag is added as an extra tab and gives user the possibility to add and edit Thea Sun, Thea Sky and Image Based Lighting Illumination.



Figure 94: Thea Sky Tag

At the General tab, at Illumination drop down list user can select to enable Sun+Sky option, IBL, Sky Only or IBL+Sun for the scene.

Note: in case a Thea sun tag is added to any light source of the scene, the sun position coordinates defined at this tab (see Physical Sky tab – Sun Position in Figure 96) will be ignored.



Figure 95: Illumination Drop Down List

Depending on this selection, extra tabs appear with the corresponding set of settings. User can define here Sky and Sun properties (see Figure 96) as well as load a map for Image Based Lighting (see Figure 97). In case both Sun and IBL are enabled, both tabs will appear (see Figure 99).



Figure 96: Sun + Sky Option – Physical Sky tab



Figure 97: IBL Option – Image Based Lighting tab



Figure 98: Sky Only Option – Physical Sky tab



Figure 99: IBL + Sun Option: Physical Sky and Image Based Lighting tabs

Copyright © Solid Iris Technologies

If user needs to have different maps for Background, Reflections and Refractions, the options appearing at the General tab (Background Mapping, Reflection and Refraction Mapping) need to be enabled too. This will open the additional tabs with map settings (see Figure 100, Figure 101 and Figure 102). By enabling Global Medium the corresponding tab with Medium options appears too (see Figure 103).



Figure 100: Background Mapping tab



Figure 101: Reflection Mapping tab



Figure 102: Refraction Mapping tab



Figure 103: Global Medium tab

13.5 Thea Sun Tag

The last tag, Thea Sun, can be added to any Cinema4D light source and make it behave like Thea Sun. In this way Thea sun position can change by dragging the light source accordingly.
If this tag is added to any light in the scene, Sun position defines at the Sky tag will be ignored and only this one will be taken into account.



Figure 104: Thea Sun Tag

For more plugin details, download links and resources please visit www.thearender.com/cinema4d

Copyright © Solid Iris Technologies